ELSEVIER

Volume 184, Issues 1–3, 12 April 2007

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Molecular dynamics simulation of tensile deformation of nano-single crystal aluminum 1
L. Yuan, D. Shan, B. Guo

The offset approach of machining free form surface. Part 2: Toroidal cutter in 5-axis NC machine tools 6
L.-X. Cao, H. Gong, J. Liu

Laser welding of zinc-coated steel with tandem beams: Analysis and comparison 12
S. Iqbal, M.M.S. Gualini, F. Grassi

Study of a 2024 aluminium rod produced by rotary forging 19
A.M. Habraken, C. Bouffioux, M. Carton, J. Lecomte-Beckers

Black layer characterisation and electrode wear ratio in electrical discharge machining (EDM) 27
J. Marafona

Technology and research developments in powder mixed electric discharge machining (PMEDM) 32
H.K. Kansal, S. Singh, P. Kumar

An experimental study on size effects on flow stress and formability of aluminm and brass for microforming 42
J.-T. Gau, C. Principe, J. Wang

Welding process selection through a double criteria: Operational costs and non-quality costs 47
D.S. Correia, V.A. Ferraresi

Modeling of TIG welding process using conventional regression analysis and neural network-based approaches 56
P. Dutta, D.K. Pratihar

The use of biaxial test data in the validation of constitutive descriptions for tube hydroforming applications 69
M. Jansson, L. Nilsson, K. Simonsson

Superplastic behaviour of friction stir processed AZ91 magnesium alloy produced by high pressure die cast 77
P. Cavaliere, P.P. De Marco

Analysis and design optimization of deep drawing process. Part II: Optimization 84
H. Sattari, R. Sedaghati, R. Ganesan

Preparation of SrS:Eu, Sm and its photostimulated luminescence 93
J. Weiwei, X. Zheng, Z. Fujun, Z. Xiyan, W. Liwei

Effect of channel clearance on crystal orientation development in AZ31 magnesium alloy sheet produced by equal channel angular rolling 97
Y.Q. Cheng, Z.H. Chen, W.J. Xia, T. Zhou

Preparation and characterization of as-rolled AZ31 magnesium alloy sheets 102
B.-P. Zhang, Y.-F. Tu, J.-Y. Chen, H.-L. Zhang, Y.-L. Kang, H.G. Suzuki

Highly dense Si_3N_4 crucibles used for Al casting: An investigation of the aluminum–ceramic interface at high temperatures 108
C. Santos, S. Ribeiro, K. Strecker, D. Rodrigues Jr., C.R.M. Silva

Numerical and experimental investigations on the Warm Deep Drawing process of circular aluminum alloy specimens 115
G. Palumbo, L. Tricarico

Fabrication of conductive woven fabric and analysis of electromagnetic shielding via measurement and empirical equation 124
H.C. Chen, K.C. Lee, J.H. Lin, M. Koch

Capping agent-assisted synthesis of nanosized hydroxyapatite: Comparative studies of their physicochemical properties 131
N. Pramanik, A. Tarafdar, P. Pramanik

Formulation of emulsifiable cutting fluids and extreme pressure behaviour 139
A. Cambiella, J.M. Benito, C. Pazos, J. Coca, A. Hernández, J.E. Fernández

Elsevier B.V.

Direct and inverse problems in metal forming of rigid-poroplastic materials 146
I. Pokorska

FE simulation of laser curve bending of sheet metals 157
P. Zhang, B. Guo, D.-B. Shan, Z. Ji

Development of an external-type microinjection molding module for thermoplastic polymer 163
P.-C. Chang, S.-J. Hwang, H.-H. Lee, D.-Y. Huang

Micro processing on Cr films by Nd:YAG pulsed laser oxidation method 173
Z. Guo, J. Hu, J. Lian, A.N. Chumakov

Effects of gas shielding parameters on weld penetration of CO_2 laser-TIG hybrid welding 177
G. Ming, Z. Xiaoyan, H. Qianwu

Study on the structure and properties of thick-film capacitors fabricated by laser micro-cladding and rapid prototype 184
H. Li, X. Zeng

Numerical simulation of magnetic flux and force in electromagnetic forming with attractive force 190
J. Deng, C. Li, Z. Zhao, F. Tu, H. Yu

Effect of compression ratio on the microstructure evolution of semisolid AZ91D alloy 195
Q.Q. Zhang, Z.Y. Cao, Y.F. Zhang, G.H. Su, Y.B. Liu

Microstructures and dry sliding wear properties of in situ (Al_3Zr + ZrB_2)/Al composites 201
S. Zhang, Y. Zhao, G. Chen, X. Cheng

Finite element analysis and optimization of equal channel angular pressing for producing ultra-fine grained materials 209
S. Xu, G. Zhao, X. Ma, G. Ren

Microstructural control of duplex Ti–46.5Al–2Cr–1.5Nb–1V alloys 217
R.T. Zheng, Y.G. Zhang, C.Q. Chen, G.A. Cheng, C.L. Liang, X.J. Li

Front end bending in plate rolling influenced by circumferential speed mismatch and geometry 224
M. Philipp, W. Schwenzfeier, F.D. Fischer, R. Wödlinger, C. Fischer

Surface roughness optimization in an end-milling operation using the Taguchi design method 233
J.Z. Zhang, J.C. Chen, E.D. Kirby

The use of plasticine as an analog to explore material flow in friction stir welding 240
B.C. Liechty, B.W. Webb

Chatter stability boundary analysis using RBNN 251
M.-C. Yoon, Y.-G. Kim

The exploration for synthesizing $CoSb_3$ powder by mechanical alloying 257
K. Liu, Z. Jiuxing, X. Dong

An auto-brazing of composite material rod with small diameter 261
C.K. Huang, Y.C. Lin, Y.S. Tarng

On the determination of true stress triaxiality in sheet metal 272
A. Bacha, D. Daniel, H. Klocker

Effect of anisotropy on the deep-drawing of mild steel and dual-phase steel tailor-welded blanks 288
R. Padmanabhan, A.J. Baptista, M.C. Oliveira, L.F. Menezes

Effect of equal channel angular pressing on the deformation behaviour of magnesium alloy AZ31 under uniaxial compression 294
Z. Zúberová, Y. Estrin, T.T. Lamark, M. Janeček, R.J. Hellmig, M. Krieger

Sintering behaviour of magnetic bulk glassy cores obtained from $Fe_{71}Nb_{3.7}Cu_1Al_3Mn_{0.8}Si_{13.5}B_7$ alloy powder 300
A.K. Panda, S.K. Das, P.K. De, A. Mitra

Process simulation at electron beam lithography on different substrates 305
K. Vutova, G. Mladenov, I. Raptis, A. Olziersky

On the local contact behaviour in regular lattices of composite powders 312
O. Skrinjar, P.-L. Larsson

Optimal cutting conditions when dry end milling the aeroengine material Ti–6242S 319
A. Ginting, M. Nouari

Two-die assembly for the extrusion of glasses with dissimilar thermal properties for fibre optic preforms 325
E.T.Y. Lee, E.R.M. Taylor

Friction welding of dissimilar pure metals 330
S.D. Meshram, T. Mohandas, G.M. Reddy

Characterization of cooling heat transfer for various coolant conditions in warm forging process 338
J.H. Kang, K.O. Lee, S.S. Kang

Modelling recrystallization kinetics during hot rolling of AA5083 345
M. Toloui, S. Serajzadeh

FEM-based optimum design of multi-stage deep drawing process of molybdenum sheet 354
H.-K. Kim, S.K. Hong

Study of hydroformed tailor-welded tubular parts with dissimilar thickness 363
R.M. Natal Jorge, A.P. Roque, R.A.F. Valente, M.P.L. Parente, A.A. Fernandes

Influence from the inclined angle of the indenter for determination of residual stress and strain fields by sharp indentation testing 372
P.-L. Larsson

Effect of assist gas flow on the gas shielding during laser deep penetration welding 379
H. Wang, Y. Shi, S. Gong, A. Duan

Effect of pressure gradient driven convection in the molten pool during the deep penetration laser welding 386
H. Wang, Y. Shi, S. Gong

Analysis on folding defects of inner grooved copper tubes during ball spin forming 393
G.-L. Zhang, S.-H. Zhang, B. Li, H.-Q. Zhang

In-service performance of components treated with plasma nitriding and arc ion plating duplex coatings 401
T.S. Lien, S.C. Wang, J.T. Chang, A. Davison, K.C. Chen, J.L. He

A study on mechanism of nano-cutting single crystal silicon 407
F.Z. Fang, H. Wu, W. Zhou, X.T. Hu

The applicability of process design system for forward extrusion of spur gears 411
J.-H. Song, Y.-T. Im

Artificial neural networks for predicting diffusible hydrogen content and cracking susceptibility in rutile flux-cored arc welds 420
Z. Sterjovski, M. Pitrun, D. Nolan, D. Dunne, J. Norrish

Strain and strain rate measurement during the bulge test by electronic speckle pattern interferometry 428
G. Montay, M. François, M. Tourneix, B. Guelorget, C. Vial-Edwards, I. Lira

Evaluation of surface roughness of commercially manufactured particleboard and medium density fiberboard in Japan 436
S. Hiziroglu, S. Suzuki

Optimization of processing parameters for the Al + 10% B_4C system obtained by mechanical alloying 441
J. Abenojar, F. Velasco, M.A. Martínez

An FEA method to study flexibility of expanded coronary stents 447
W. Wu, D.-Z. Yang, M. Qi, W.-Q. Wang

Synthesis and defect-related emission of ZnO based light emitting device with homo- and heterostructure 451
J. Bian, W. Liu, J. Sun, H. Liang

Author index 455

Subject index 457

ELSEVIER

Journal of Materials Processing Technology 184 (2007) 455–456

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 184

Abenojar, J., 441

Bacha, A., 272
Baptista, A.J., 288
Benito, J.M., 139
Bian, J., 451
Bouffioux, C., 19

Cambiella, A., 139
Cao, L.-X., 6
Cao, Z.Y., 195
Carton, M., 19
Cavaliere, P., 77
Chang, J.T., 401
Chang, P.-C., 163
Chen, C.Q., 217
Chen, G., 201
Chen, H.C., 124
Chen, J.C., 233
Chen, J.-Y., 102
Chen, K.C., 401
Chen, Z.H., 97
Cheng, G.A., 217
Cheng, X., 201
Cheng, Y.Q., 97
Chumakov, A.N., 173
Coca, J., 139
Correia, D.S., 47

Daniel, D., 272
Das, S.K., 300
Davison, A., 401
De Marco, P.P., 77
De, P.K., 300
Deng, J., 190
Dong, X., 257
Duan, A., 379
Dunne, D., 420
Dutta, P., 56

Estrin, Y., 294

Fang, F.Z., 407
Fernandes, A.A., 363
Fernández, J.E., 139
Ferraresi, V.A., 47
Fischer, C., 224
Fischer, F.D., 224
François, M., 428
Fujun, Z., 93

Ganesan, R., 84
Gau, J.-T., 42
Ginting, A., 319
Gong, H., 6
Gong, S., 379, 386
Grassi, F., 12
Gualini, M.M.S., 12
Guelorget, B., 428
Guo, B., 1, 157
Guo, Z., 173

Habraken, A.M., 19
He, J.L., 401
Hellmig, R.J., 294
Hernández, A., 139
Hiziroglu, S., 436
Hong, S.K., 354
Hu, J., 173
Hu, X.T., 407
Huang, C.K., 261
Huang, D.-Y., 163
Hwang, S.-J., 163

Im, Y.-T., 411
Iqbal, S., 12

Janeček, M., 294
Jansson, M., 69
Ji, Z., 157
Jiuxing, Z., 257

Kang, J.H., 338
Kang, S.S., 338
Kang, Y.-L., 102
Kansal, H.K., 32
Kim, H.-K., 354
Kim, Y.-G., 251
Kirby, E.D., 233
Klocker, H., 272
Koch, M., 124
Krieger, M., 294
Kumar, P., 32

Lamark, T.T., 294
Larsson, P.-L., 312, 372
Lecomte-Beckers, J., 19
Lee, E.T.Y., 325
Lee, H.-H., 163
Lee, K.C., 124
Lee, K.O., 338
Li, B., 393
Li, C., 190
Li, H., 184
Li, X.J., 217
Lian, J., 173
Liang, C.L., 217
Liang, H., 451
Liechty, B.C., 240
Lien, T.S., 401
Lin, J.H., 124
Lin, Y.C., 261
Lira, I., 428
Liu, J., 6
Liu, K., 257
Liu, W., 451
Liu, Y.B., 195
Liwei, W., 93

Ma, X., 209
Marafona, J., 27
Martínez, M.A., 441
Menezes, L.F., 288
Meshram, S.D., 330
Ming, G., 177
Mitra, A., 300
Mladenov, G., 305
Mohandas, T., 330
Montay, G., 428

Natal Jorge, R.M., 363
Nilsson, L., 69
Nolan, D., 420
Norrish, J., 420
Nouari, M., 319

Oliveira, M.C., 288
Olziersky, A., 305

Padmanabhan, R., 288
Palumbo, G., 115
Panda, A.K., 300
Parente, M.P.L., 363
Pazos, C., 139
Philipp, M., 224
Pitrun, M., 420
Pokorska, I., 146
Pramanik, N., 131
Pramanik, P., 131
Pratihar, D.K., 56
Principe, C., 42

Qi, M., 447
Qianwu, H., 177

Raptis, I., 305
Reddy, G.M., 330
Ren, G., 209
Ribeiro, S., 108

Elsevier B.V.
doi:10.1016/S0924-0136(07)00054-4

Rodrigues Jr., D., 108
Roque, A.P., 363

Santos, C., 108
Sattari, H., 84
Schwenzfeier, W., 224
Sedaghati, R., 84
Serajzadeh, S., 345
Shan, D., 1
Shan, D.-B., 157
Shi, Y., 379, 386
Silva, C.R.M., 108
Simonsson, K., 69
Singh, S., 32
Skrinjar, O., 312
Song, J.-H., 411
Sterjovski, Z., 420
Strecker, K., 108
Su, G.H., 195
Sun, J., 451
Suzuki, H.G., 102
Suzuki, S., 436

Tarafdar, A., 131
Tarng, Y.S., 261
Taylor, E.R.M., 325
Toloui, M., 345
Tourneix, M., 428
Tricarico, L., 115
Tu, F., 190
Tu, Y.-F., 102

Valente, R.A.F., 363
Velasco, F., 441
Vial-Edwards, C., 428
Vutova, K., 305

Wang, H., 379, 386
Wang, J., 42
Wang, S.C., 401
Wang, W.-Q., 447
Webb, B.W., 240
Weiwei, J., 93
Wödlinger, R., 224
Wu, H., 407
Wu, W., 447

Xia, W.J., 97
Xiaoyan, Z., 177
Xiyan, Z., 93
Xu, S., 209

Yang, D.-Z., 447
Yoon, M.-C., 251
Yu, H., 190
Yuan, L., 1

Zeng, X., 184
Zhang, B.-P., 102
Zhang, G.-L., 393
Zhang, H.-L., 102
Zhang, H.-Q., 393
Zhang, J.Z., 233
Zhang, P., 157
Zhang, Q.Q., 195
Zhang, S., 201
Zhang, S.-H., 393
Zhang, Y.F., 195
Zhang, Y.G., 217
Zhao, G., 209
Zhao, Y., 201
Zhao, Z., 190
Zheng, R.T., 217
Zheng, X., 93
Zhou, T., 97
Zhou, W., 407
Zúberová, Z., 294

ELSEVIER

Journal of Materials Processing Technology 184 (2007) 457–462

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 184

Aluminium alloy
Study of a 2024 aluminium rod produced by rotary forging, 19
Aluminum alloys
The use of biaxial test data in the validation of constitutive descriptions for tube hydroforming applications, 69
Numerical and experimental investigations on the Warm Deep Drawing process of circular aluminum alloy specimens, 115
Aluminum matrix
Microstructures and dry sliding wear properties of in situ (Al_3Zr + ZrB_2)/Al composites, 201
Amorphous powders
Sintering behaviour of magnetic bulk glassy cores obtained from $Fe_{71}Nb_{3.7}Cu_1Al_3Mn_{0.8}Si_{13.5}B_7$ alloy powder, 300
Anisotropic material
The use of biaxial test data in the validation of constitutive descriptions for tube hydroforming applications, 69
Anisotropy
Effect of anisotropy on the deep-drawing of mild steel and dual-phase steel tailor-welded blanks, 288
Arc ion plating
In-service performance of components treated with plasma nitriding and arc ion plating duplex coatings, 401
Artificial neural network
Artificial neural networks for predicting diffusible hydrogen content and cracking susceptibility in rutile flux-cored arc welds, 420
Assist gas
Effect of assist gas flow on the gas shielding during laser deep penetration welding, 379
Asymmetry in strip and plate rolling
Front end bending in plate rolling influenced by circumferential speed mismatch and geometry, 224
Automation
An auto-brazing of composite material rod with small diameter, 261
5-Axis NC machining
The offset approach of machining free form surface. Part 2: Toroidal cutter in 5-axis NC machine tools, 6
AZ31
Effect of equal channel angular pressing on the deformation behaviour of magnesium alloy AZ31 under uniaxial compression, 294
AZ31 magnesium alloy sheet
Effect of channel clearance on crystal orientation development in AZ31 magnesium alloy sheet produced by equal channel angular rolling, 97
AZ31 Mg alloy
Preparation and characterization of as-rolled AZ31 magnesium alloy sheets, 102
AZ91
Superplastic behaviour of friction stir processed AZ91 magnesium alloy produced by high pressure die cast, 77
AZ91D
Effect of compression ratio on the microstructure evolution of semi-solid AZ91D alloy, 195
Ball spinning
Analysis on folding defects of inner grooved copper tubes during ball spin forming, 393
Biomechanical characteristics
An FEA method to study flexibility of expanded coronary stents, 447
Biomedical applications
Capping agent-assisted synthesis of nanosized hydroxyapatite: Comparative studies of their physicochemical properties, 131
Boron carbide
Optimization of processing parameters for the Al + 10% B_4C system obtained by mechanical alloying, 441
BPNN
Modeling of TIG welding process using conventional regression analysis and neural network-based approaches, 56
Brazing
An auto-brazing of composite material rod with small diameter, 261
Bridgeman correction
On the determination of true stress triaxiality in sheet metal, 272
Bulge test
Strain and strain rate measurement during the bulge test by electronic speckle pattern interferometry, 428
CAD/CAM
The offset approach of machining free form surface. Part 2: Toroidal cutter in 5-axis NC machine tools, 6
Capping agent
Capping agent-assisted synthesis of nanosized hydroxyapatite: Comparative studies of their physicochemical properties, 131
Ceramics
Highly dense Si_3N_4 crucibles used for Al casting: An investigation of the aluminum–ceramic interface at high temperatures, 108
Channel clearance
Effect of channel clearance on crystal orientation development in AZ31 magnesium alloy sheet produced by equal channel angular rolling, 97
Cold forward extrusion
The applicability of process design system for forward extrusion of spur gears, 411
Composite material rod
An auto-brazing of composite material rod with small diameter, 261
Composite powder compaction
On the local contact behaviour in regular lattices of composite powders, 312
Compression behaviour
Effect of equal channel angular pressing on the deformation behaviour of magnesium alloy AZ31 under uniaxial compression, 294
Compression ratio
Effect of compression ratio on the microstructure evolution of semi-solid AZ91D alloy, 195
Computer simulation
Process simulation at electron beam lithography on different substrates, 305

Elsevier B.V.
doi:10.1016/S0924-0136(07)00055-6

Convective heat transfer coefficient
Characterization of cooling heat transfer for various coolant conditions in warm forging process, 338
Conventional regression analysis
Modeling of TIG welding process using conventional regression analysis and neural network-based approaches, 56
Copper wire
Fabrication of conductive woven fabric and analysis of electromagnetic shielding via measurement and empirical equation, 124
Coronary stents
An FEA method to study flexibility of expanded coronary stents, 447
Corrosion
Highly dense Si_3N_4 crucibles used for Al casting: An investigation of the aluminum–ceramic interface at high temperatures, 108
$CoSb_3$
The exploration for synthesizing $CoSb_3$ powder by mechanical alloying, 257
Crack
Study of a 2024 aluminium rod produced by rotary forging, 19
Crystal orientation
Effect of channel clearance on crystal orientation development in AZ31 magnesium alloy sheet produced by equal channel angular rolling, 97

DD3IMP
Effect of anisotropy on the deep-drawing of mild steel and dual-phase steel tailor-welded blanks, 288
Deep Drawing
Numerical and experimental investigations on the Warm Deep Drawing process of circular aluminum alloy specimens, 115
Deep-drawing
Effect of anisotropy on the deep-drawing of mild steel and dual-phase steel tailor-welded blanks, 288
Deposition
Black layer characterisation and electrode wear ratio in electrical discharge machining (EDM), 27
Diffuse and localized necking
Strain and strain rate measurement during the bulge test by electronic speckle pattern interferometry, 428
Diffusible hydrogen
Artificial neural networks for predicting diffusible hydrogen content and cracking susceptibility in rutile flux-cored arc welds, 420
Diffusion
Micro processing on Cr films by Nd:YAG pulsed laser oxidation method, 173
Discharge current
Numerical simulation of magnetic flux and force in electromagnetic forming with attractive force, 190
Dissimilar metals
Friction welding of dissimilar pure metals, 330
Driving force
Effect of pressure gradient driven convection in the molten pool during the deep penetration laser welding, 386
Duplex
Microstructural control of duplex Ti–46.5Al–2Cr–1.5Nb–1V alloys, 217
Duplex coating
In-service performance of components treated with plasma nitriding and arc ion plating duplex coatings, 401
Dynamic recrystallization
Friction welding of dissimilar pure metals, 330

ECAP
Effect of equal channel angular pressing on the deformation behaviour of magnesium alloy AZ31 under uniaxial compression, 294
Electric discharge machining
Technology and research developments in powder mixed electric discharge machining (PMEDM), 32
Electrical discharge machining (EDM)
Black layer characterisation and electrode wear ratio in electrical discharge machining (EDM), 27
Electroluminescence
Synthesis and defect-related emission of ZnO based light emitting device with homo- and heterostructure, 451
Electromagnetic attractive force
Numerical simulation of magnetic flux and force in electromagnetic forming with attractive force, 190
Electromagnetic forming
Numerical simulation of magnetic flux and force in electromagnetic forming with attractive force, 190
Electron beam exposure and development processes
Process simulation at electron beam lithography on different substrates, 305
Electron beam lithography
Process simulation at electron beam lithography on different substrates, 305
Energy dispersive analysis of X-rays (EDS or EDAX)
Highly dense Si_3N_4 crucibles used for Al casting: An investigation of the aluminum–ceramic interface at high temperatures, 108
Equal channel angular pressing/extrusion
Finite element analysis and optimization of equal channel angular pressing for producing ultra-fine grained materials, 209
Equal channel angular rolling
Effect of channel clearance on crystal orientation development in AZ31 magnesium alloy sheet produced by equal channel angular rolling, 97
Equivalent carbon
Black layer characterisation and electrode wear ratio in electrical discharge machining (EDM), 27
ESPI
Strain and strain rate measurement during the bulge test by electronic speckle pattern interferometry, 428
EWR
Black layer characterisation and electrode wear ratio in electrical discharge machining (EDM), 27
Experimental optimization
Welding process selection through a double criteria: Operational costs and non-quality costs, 47
Extended taylor model
Optimal cutting conditions when dry end milling the aeroengine material Ti–6242S, 319
Extreme pressure lubrication
Formulation of emulsifiable cutting fluids and extreme pressure behaviour, 139
Extrusion
Two-die assembly for the extrusion of glasses with dissimilar thermal properties for fibre optic preforms, 325

FE simulation
FE simulation of laser curve bending of sheet metals, 157
FEM simulations
Study of a 2024 aluminium rod produced by rotary forging, 19
Optimal cutting conditions when dry end milling the aeroengine material Ti–6242S, 319
Fibre preform
Two-die assembly for the extrusion of glasses with dissimilar thermal properties for fibre optic preforms, 325
Finite element
Analysis on folding defects of inner grooved copper tubes during ball spin forming, 393
Finite element analysis
Finite element analysis and optimization of equal channel angular pressing for producing ultra-fine grained materials, 209
Effect of anisotropy on the deep-drawing of mild steel and dual-phase steel tailor-welded blanks, 288
Modelling recrystallization kinetics during hot rolling of AA5083, 345

FEM-based optimum design of multi-stage deep drawing process of molybdenum sheet, 354
Influence from the inclined angle of the indenter for determination of residual stress and strain fields by sharp indentation testing, 372
Finite element method
Effect of channel clearance on crystal orientation development in AZ31 magnesium alloy sheet produced by equal channel angular rolling, 97
An FEA method to study flexibility of expanded coronary stents, 447
Finite element simulation
On the local contact behaviour in regular lattices of composite powders, 312
Finite strain elasto-plasticity
Analysis and design optimization of deep drawing process. Part II: Optimization, 84
Flexibility
An FEA method to study flexibility of expanded coronary stents, 447
Flow
The use of plasticine as an analog to explore material flow in friction stir welding, 240
Flow stress
An experimental study on size effects on flow stress and formability of aluminm and brass for microforming, 42
Flux-cored arc welding
Artificial neural networks for predicting diffusible hydrogen content and cracking susceptibility in rutile flux-cored arc welds, 420
Folding
Analysis on folding defects of inner grooved copper tubes during ball spin forming, 393
Formability
An experimental study on size effects on flow stress and formability of aluminm and brass for microforming, 42
Formulation
Formulation of emulsifiable cutting fluids and extreme pressure behaviour, 139
Fracture
On the determination of true stress triaxiality in sheet metal, 272
Friction
The use of biaxial test data in the validation of constitutive descriptions for tube hydroforming applications, 69
The use of plasticine as an analog to explore material flow in friction stir welding, 240
Friction welding
Friction welding of dissimilar pure metals, 330
Front end bending in plate rolling
Front end bending in plate rolling influenced by circumferential speed mismatch and geometry, 224
FSP
Superplastic behaviour of friction stir processed AZ91 magnesium alloy produced by high pressure die cast, 77

Galvanized steel sheets
Laser welding of zinc-coated steel with tandem beams: Analysis and comparison, 12
GA-NN
Modeling of TIG welding process using conventional regression analysis and neural network-based approaches, 56
Gas shielding parameters
Effects of gas shielding parameters on weld penetration of CO_2 laser-TIG hybrid welding, 177
Glass
Two-die assembly for the extrusion of glasses with dissimilar thermal properties for fibre optic preforms, 325
Glassy cores
Sintering behaviour of magnetic bulk glassy cores obtained from $Fe_{71}Nb_{3.7}Cu_1Al_3Mn_{0.8}Si_{13.5}B_7$ alloy powder, 300
GMAW
Welding process selection through a double criteria: Operational costs and non-quality costs, 47
Hardness
Preparation and characterization of as-rolled AZ31 magnesium alloy sheets, 102
Hardness test
Influence from the inclined angle of the indenter for determination of residual stress and strain fields by sharp indentation testing, 372
Heat treatment
Microstructural control of duplex Ti–46.5Al–2Cr–1.5Nb–1V alloys, 217
High temperature superconducting films
Process simulation at electron beam lithography on different substrates, 305
Hot rolling
Preparation and characterization of as-rolled AZ31 magnesium alloy sheets, 102
Modelling recrystallization kinetics during hot rolling of AA5083, 345
Hybrid welding
Effects of gas shielding parameters on weld penetration of CO_2 laser-TIG hybrid welding, 177
Hydroforming
The use of biaxial test data in the validation of constitutive descriptions for tube hydroforming applications, 69
Hydrogen cracking
Artificial neural networks for predicting diffusible hydrogen content and cracking susceptibility in rutile flux-cored arc welds, 420
Hydroxyapatite
Capping agent-assisted synthesis of nanosized hydroxyapatite: Comparative studies of their physicochemical properties, 131

In situ reaction
Microstructures and dry sliding wear properties of in situ (Al_3Zr + ZrB_2)/Al composites, 201
Inner grooved copper tube
Analysis on folding defects of inner grooved copper tubes during ball spin forming, 393
Inverse method
Characterization of cooling heat transfer for various coolant conditions in warm forging process, 338
Ironing
FEM-based optimum design of multi-stage deep drawing process of molybdenum sheet, 354

Japanese wood composites
Evaluation of surface roughness of commercially manufactured particleboard and medium density fiberboard in Japan, 436

Keyhole
Effect of assist gas flow on the gas shielding during laser deep penetration welding, 379
Effect of pressure gradient driven convection in the molten pool during the deep penetration laser welding, 386
Keyhole formation
Laser welding of zinc-coated steel with tandem beams: Analysis and comparison, 12

Laser bending
FE simulation of laser curve bending of sheet metals, 157
Laser micro-cladding
Study on the structure and properties of thick-film capacitors fabricated by laser micro-cladding and rapid prototype, 184
Laser processing
Micro processing on Cr films by Nd:YAG pulsed laser oxidation method, 173

Laser welding
Laser welding of zinc-coated steel with tandem beams: Analysis and comparison, 12
Effects of gas shielding parameters on weld penetration of CO_2 laser-TIG hybrid welding, 177
Effect of assist gas flow on the gas shielding during laser deep penetration welding, 379
Effect of pressure gradient driven convection in the molten pool during the deep penetration laser welding, 386
Light emitting devices
Synthesis and defect-related emission of ZnO based light emitting device with homo- and heterostructure, 451
Limit Drawing Ratio
Numerical and experimental investigations on the Warm Deep Drawing process of circular aluminum alloy specimens, 115
Localization
Strain and strain rate measurement during the bulge test by electronic speckle pattern interferometry, 428
Low alloy steel
In-service performance of components treated with plasma nitriding and arc ion plating duplex coatings, 401
Lubricant cooling
Characterization of cooling heat transfer for various coolant conditions in warm forging process, 338

Material removal rate
Technology and research developments in powder mixed electric discharge machining (PMEDM), 32
Optimal cutting conditions when dry end milling the aeroengine material Ti–6242S, 319
MDF
Evaluation of surface roughness of commercially manufactured particleboard and medium density fiberboard in Japan, 436
Mechanical alloying
The exploration for synthesizing $CoSb_3$ powder by mechanical alloying, 257
Mechanical properties
Optimization of processing parameters for the Al + 10% B_4C system obtained by mechanical alloying, 441
Metal forming
Direct and inverse problems in metal forming of rigid-poroplastic materials, 146
Metalworking fluids
Formulation of emulsifiable cutting fluids and extreme pressure behaviour, 139
Micro-cutting tools
An auto-brazing of composite material rod with small diameter, 261
Micro-drill
An auto-brazing of composite material rod with small diameter, 261
Microforming
An experimental study on size effects on flow stress and formability of aluminm and brass for microforming, 42
Microinjection molding
Development of an external-type microinjection molding module for thermoplastic polymer, 163
Micro–macro link
Study of a 2024 aluminium rod produced by rotary forging, 19
Micromechanical modelling
On the local contact behaviour in regular lattices of composite powders, 312
Microstructure
Preparation and characterization of as-rolled AZ31 magnesium alloy sheets, 102
Micro processing on Cr films by Nd:YAG pulsed laser oxidation method, 173
Microstructural control of duplex Ti–46.5Al–2Cr–1.5Nb–1V alloys, 217
Migrate materials
Black layer characterisation and electrode wear ratio in electrical discharge machining (EDM), 27
Milling operations
Surface roughness optimization in an end-milling operation using the Taguchi design method, 233
MMCs
Optimization of processing parameters for the Al + 10% B_4C system obtained by mechanical alloying, 441
Modeling
Effect of pressure gradient driven convection in the molten pool during the deep penetration laser welding, 386
Molecular dynamics
Molecular dynamics simulation of tensile deformation of nano-single crystal aluminum, 1
Molybdenum
FEM-based optimum design of multi-stage deep drawing process of molybdenum sheet, 354
Morphology
Microstructures and dry sliding wear properties of in situ (Al_3Zr + ZrB_2)/Al composites, 201
Multipoint constraint elements
An FEA method to study flexibility of expanded coronary stents, 447
Multi-stage deep drawing
FEM-based optimum design of multi-stage deep drawing process of molybdenum sheet, 354

Nanocrystalline
Sintering behaviour of magnetic bulk glassy cores obtained from $Fe_{71}Nb_{3.7}Cu_1Al_3Mn_{0.8}Si_{13.5}B_7$ alloy powder, 300
Nano-cutting
A study on mechanism of nano-cutting single crystal silicon, 407
Nanosized
Capping agent-assisted synthesis of nanosized hydroxyapatite: Comparative studies of their physicochemical properties, 131
Numerical simulation
Numerical simulation of magnetic flux and force in electromagnetic forming with attractive force, 190
Study of hydroformed tailor-welded tubular parts with dissimilar thickness, 363

O/W emulsions
Formulation of emulsifiable cutting fluids and extreme pressure behaviour, 139
Optimization
Analysis and design optimization of deep drawing process. Part II: Optimization, 84
FEM-based optimum design of multi-stage deep drawing process of molybdenum sheet, 354

Particle size
Effect of compression ratio on the microstructure evolution of semi-solid AZ91D alloy, 195
Particleboard
Evaluation of surface roughness of commercially manufactured particleboard and medium density fiberboard in Japan, 436
Photostimulated luminescence
Preparation of SrS:Eu, Sm and its photostimulated luminescence, 93
Plastic strain
Strain and strain rate measurement during the bulge test by electronic speckle pattern interferometry, 428
Plasticine
The use of plasticine as an analog to explore material flow in friction stir welding, 240
Plunger
Development of an external-type microinjection molding module for thermoplastic polymer, 163

p–n Junction
Synthesis and defect-related emission of ZnO based light emitting device with homo- and heterostructure, 451
Polymer resist
Process simulation at electron beam lithography on different substrates, 305
Powder metallurgy
Direct and inverse problems in metal forming of rigid-poroplastic materials, 146
Powder processing
Optimization of processing parameters for the Al + 10% B_4C system obtained by mechanical alloying, 441
Precipitation
Study of a 2024 aluminium rod produced by rotary forging, 19
Capping agent-assisted synthesis of nanosized hydroxyapatite: Comparative studies of their physicochemical properties, 131
Precursor beam
Laser welding of zinc-coated steel with tandem beams: Analysis and comparison, 12
Preparation
Preparation of SrS:Eu, Sm and its photostimulated luminescence, 93
Process design system
The applicability of process design system for forward extrusion of spur gears, 411
Process optimization
Finite element analysis and optimization of equal channel angular pressing for producing ultra-fine grained materials, 209

Quality
Welding process selection through a double criteria: Operational costs and non-quality costs, 47

Rapid prototype
Study on the structure and properties of thick-film capacitors fabricated by laser micro-cladding and rapid prototype, 184
RBNN (radial basis neural network)
Chatter stability boundary analysis using RBNN, 251
Reduction
Preparation and characterization of as-rolled AZ31 magnesium alloy sheets, 102
Remained error
The offset approach of machining free form surface. Part 2: Toroidal cutter in 5-axis NC machine tools, 6
Residual stress and strain
Influence from the inclined angle of the indenter for determination of residual stress and strain fields by sharp indentation testing, 372
Response modeling
Welding process selection through a double criteria: Operational costs and non-quality costs, 47
Rigid-poroplastic material
Direct and inverse problems in metal forming of rigid-poroplastic materials, 146
Rotary forging process
Study of a 2024 aluminium rod produced by rotary forging, 19

Scanning path
FE simulation of laser curve bending of sheet metals, 157
Second order line contact
The offset approach of machining free form surface. Part 2: Toroidal cutter in 5-axis NC machine tools, 6
Sensitivity
Direct and inverse problems in metal forming of rigid-poroplastic materials, 146
Sequential function charts
An auto-brazing of composite material rod with small diameter, 261
Sequential quadratic programming (Quasi-Newton method)
Analysis and design optimization of deep drawing process. Part II: Optimization, 84
Severe plastic deformation
Finite element analysis and optimization of equal channel angular pressing for producing ultra-fine grained materials, 209
Sheet metal
FE simulation of laser curve bending of sheet metals, 157
Sheet metal forming
Analysis and design optimization of deep drawing process. Part II: Optimization, 84
Shell element
Analysis and design optimization of deep drawing process. Part II: Optimization, 84
Shielding effectiveness
Fabrication of conductive woven fabric and analysis of electromagnetic shielding via measurement and empirical equation, 124
Shrink fitting ratio
The applicability of process design system for forward extrusion of spur gears, 411
Silicon
A study on mechanism of nano-cutting single crystal silicon, 407
Simulation laser
Effect of assist gas flow on the gas shielding during laser deep penetration welding, 379
Single crystal aluminum
Molecular dynamics simulation of tensile deformation of nano-single crystal aluminum, 1
Sintering
Highly dense Si_3N_4 crucibles used for Al casting: An investigation of the aluminum–ceramic interface at high temperatures, 108
Sintering behaviour of magnetic bulk glassy cores obtained from $Fe_{71}Nb_{3.7}Cu_1Al_3Mn_{0.8}Si_{13.5}B_7$ alloy powder, 300
Size effect
An experimental study on size effects on flow stress and formability of aluminm and brass for microforming, 42
Ski end control in plate rolling
Front end bending in plate rolling influenced by circumferential speed mismatch and geometry, 224
Skutterudite
The exploration for synthesizing $CoSb_3$ powder by mechanical alloying, 257
Soft magnetic
Sintering behaviour of magnetic bulk glassy cores obtained from $Fe_{71}Nb_{3.7}Cu_1Al_3Mn_{0.8}Si_{13.5}B_7$ alloy powder, 300
Solid fraction
Effect of compression ratio on the microstructure evolution of semi-solid AZ91D alloy, 195
Specific cutting coefficient
Chatter stability boundary analysis using RBNN, 251
Specific cutting force
Chatter stability boundary analysis using RBNN, 251
Spur gear
The applicability of process design system for forward extrusion of spur gears, 411
SrS:Eu, Sm
Preparation of SrS:Eu, Sm and its photostimulated luminescence, 93
Stability lobe
Chatter stability boundary analysis using RBNN, 251
Stainless steel wire
Fabrication of conductive woven fabric and analysis of electromagnetic shielding via measurement and empirical equation, 124
Steel weld metal
Artificial neural networks for predicting diffusible hydrogen content and cracking susceptibility in rutile flux-cored arc welds, 420
Stir
The use of plasticine as an analog to explore material flow in friction stir welding, 240
Strain induced melt activation (SIMA)
Effect of compression ratio on the microstructure evolution of semi-solid AZ91D alloy, 195

Strain rate
Strain and strain rate measurement during the bulge test by electronic speckle pattern interferometry, 428
Stream function method
Modelling recrystallization kinetics during hot rolling of AA5083, 345
Submerged arc
Welding process selection through a double criteria: Operational costs and non-quality costs, 47
Superplasticity
Superplastic behaviour of friction stir processed AZ91 magnesium alloy produced by high pressure die cast, 77
Surface roughness
Technology and research developments in powder mixed electric discharge machining (PMEDM), 32
Surface roughness optimization in an end-milling operation using the Taguchi design method, 233
Evaluation of surface roughness of commercially manufactured particleboard and medium density fiberboard in Japan, 436
Surfaces
Micro processing on Cr films by Nd:YAG pulsed laser oxidation method, 173

Taguchi design
Surface roughness optimization in an end-milling operation using the Taguchi design method, 233
Tailor-welded blank
Effect of anisotropy on the deep-drawing of mild steel and dual-phase steel tailor-welded blanks, 288
Tailor-welded tubes
Study of hydroformed tailor-welded tubular parts with dissimilar thickness, 363
TEM
A study on mechanism of nano-cutting single crystal silicon, 407
Tensile deformation
Molecular dynamics simulation of tensile deformation of nano-single crystal aluminum, 1
Thermoelectric materials
The exploration for synthesizing $CoSb_3$ powder by mechanical alloying, 257
Thermo-mechanical finite element model
Numerical and experimental investigations on the Warm Deep Drawing process of circular aluminum alloy specimens, 115
Thick-film capacitor
Study on the structure and properties of thick-film capacitors fabricated by laser micro-cladding and rapid prototype, 184
Thin films
Micro processing on Cr films by Nd:YAG pulsed laser oxidation method, 173
TIG welding
Modeling of TIG welding process using conventional regression analysis and neural network-based approaches, 56
γ-TiAl based alloy
Microstructural control of duplex Ti–46.5Al–2Cr–1.5Nb–1V alloys, 217
Titanium nitride
In-service performance of components treated with plasma nitriding and arc ion plating duplex coatings, 401
Tool life
Optimal cutting conditions when dry end milling the aeroengine material Ti–6242S, 319
Tool wear rate
Technology and research developments in powder mixed electric discharge machining (PMEDM), 32
Top roll pressure and bottom roll pressure in plate rolling
Front end bending in plate rolling influenced by circumferential speed mismatch and geometry, 224
Toroidal cutter
The offset approach of machining free form surface. Part 2: Toroidal cutter in 5-axis NC machine tools, 6
Total and Updated Lagrangian approach
Analysis and design optimization of deep drawing process. Part II: Optimization, 84
Tribological aspects
Optimal cutting conditions when dry end milling the aeroengine material Ti–6242S, 319
True stress triaxiality
On the determination of true stress triaxiality in sheet metal, 272
True stress–strain curve
On the determination of true stress triaxiality in sheet metal, 272
Tubular hydroforming
Study of hydroformed tailor-welded tubular parts with dissimilar thickness, 363
Tungsten inert gas welding
Effects of gas shielding parameters on weld penetration of CO_2 laser-TIG hybrid welding, 177
Turn-up and turn-down in hot rolling
Front end bending in plate rolling influenced by circumferential speed mismatch and geometry, 224
Two-die assembly
Two-die assembly for the extrusion of glasses with dissimilar thermal properties for fibre optic preforms, 325
Ultra-fine grained
Finite element analysis and optimization of equal channel angular pressing for producing ultra-fine grained materials, 209
Ultrasonic spray pyrolysis
Synthesis and defect-related emission of ZnO based light emitting device with homo- and heterostructure, 451
Unit cell calculation
On the local contact behaviour in regular lattices of composite powders, 312

Valve-type hot runner
Development of an external-type microinjection molding module for thermoplastic polymer, 163
Visualization
The use of plasticine as an analog to explore material flow in friction stir welding, 240

Warm conditions
Numerical and experimental investigations on the Warm Deep Drawing process of circular aluminum alloy specimens, 115
Warm forging
Characterization of cooling heat transfer for various coolant conditions in warm forging process, 338
Warping phenomenon in plate rolling
Front end bending in plate rolling influenced by circumferential speed mismatch and geometry, 224
Wear properties
Microstructures and dry sliding wear properties of in situ (Al_3Zr + ZrB_2)/Al composites, 201
Weld penetration
Effects of gas shielding parameters on weld penetration of CO_2 laser-TIG hybrid welding, 177
Welding
The use of plasticine as an analog to explore material flow in friction stir welding, 240
Weld-line movement
Study of hydroformed tailor-welded tubular parts with dissimilar thickness, 363

Zinc oxide films
Synthesis and defect-related emission of ZnO based light emitting device with homo- and heterostructure, 451